



MAGNETIC LOCKABLE BALL VALVE

TECHNICAL CHARACTERISTICS AND DESCRIPTION

The Magnetic Lockable Ball Valve is designed for simple and quick operation. Closing the valve can be managed by practically any tool whether a screwdriver or even a coin.

Due to the special construction in the valve head, once the valve is closed it is impossible to re-open it without using the special key, which is only issued to authorized personnel.

Our Magnetic Lockable Ball Valves are certified and approved by the Mechanical University of Belgrade

Magnetic Lockable Ball Valves are available in three sizes, 1/2", 3/4" and 1" (Dn15, Dn20 and Dn25).

All sizes are designed for nominal pressure PN20.

Materials used in the production of the valves are brass and stainless steel.

CERTIFICATES

Dn15 – 5.10 – I0712 – 1 – 00 / 05

Dn20 – 5.10 – I0712 – 2 – 00 / 05

Dn25 – 5.11 – I0712 – 4 – 00 / 05

Certificates were issued and approved by the Mechanical University – Belgrade

A.D. INSA - MANUFACTURER OF MEASUREMENT INSTRUMENTS

Trščanska 21
11080 Belgrade - Zemun
Republic of Serbia



Fax:

E-mail:

+ 381 (11) 3713 - 600

+ 381 (11) 3713 - 607

+ 381 (11) 2614 - 330

office@insa.rs

info@insa.rs

www.insa.rs